

# Multi-functionalized graphene oxide based anticancer drug-carrier with dual-targeting function and pH-sensitivity

*Xiaoying Yang<sup>\*†</sup>, Yinsong Wang<sup>†</sup>, Xin Huang<sup>‡</sup>, Yanfeng Ma<sup>§</sup>, Yi Huang<sup>§</sup>, Rongcun*

*Yang<sup>‡</sup>, Hongquan Duan<sup>†</sup> and Yongsheng Chen<sup>\*§</sup>*

<sup>†</sup>School of Pharmaceutical Sciences, Basic Medical Research Center, Tianjin Medical University, Tianjin 300070, China

<sup>‡</sup>Department of Immunology, College of Medicine, Key Laboratory of Bioactive Materials, Ministry of Education, Nankai University, Tianjin 300071, China

<sup>§</sup>Center for Nanoscale Science and Technology and Key Laboratory of Functional Polymer Materials, Institute of Polymer Chemistry, College of Chemistry, Nankai University, Tianjin 300071, China

## Supporting Information




Figure S1. TEM of GO-Fe<sub>3</sub>O<sub>4</sub> nanohybrid




Figure S2. Magnetization curve of GO-Fe<sub>3</sub>O<sub>4</sub> hybrid




Figure S3. FTIR spectrum of folic acid active ester